

SAFETY DATA SHEET

Blue Gold Industrial Cleaner
Revision Date 03/05/2020

SECTION - 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Blue Gold Industrial Cleaner

ITEM 109
(360-MC)

PRODUCT USE Hard Surface Cleaner / Degreaser

COMPANY NAME Modern Chemical, Inc.

Office (501) 988-1311

P.O. Box 368

Fax (501) 988-2229

Jacksonville AR 72078

Web www.bluegoldcleaner.com
EMERGENCY TELEPHONE NUMBER
INFOTRAC (800) 535-5053

SECTION - 2 HAZARDS INFORMATION

Physical Hazards None

Health Hazards EYES-Category 1; SKIN-Category 2; STOT SINGLE EXPOSURE-Category 3
 Classification (EC 1272/2008) Label In Accordance with (EC) No. 1272/2008

 Irritant (skin)
 Respiratory Tract Irritant


Eye Damage

Danger

----- See "Section -16" for "Hazard and Precautionary Statements with Codes" -----
 Causes serious eye damage, Causes skin irritation, May cause respiratory irritation, Keep out of reach of children,
 May be harmful if swallowed, Do not get in eyes, on skin, or clothing, and inhalation of mist, Use personal protective
 equipment as required, Wash thoroughly after handling, Avoid release into the environment

SECTION - 3 COMPOSITION INFORMATION

(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS #	IMPURITIES	PERCENT
2-(2-Butoxyethoxy)ethanol	Diethylene Glycol Monobutyl Ether	112-34-5		7 - 10%
Sodium Metasilicate Pentahydrate	Disodium Trioxosilicate	10213-79-3		4 - 9%
Nonylphenol Ethoxylate	Nonylphenyl-polyethylene glycol	9016-45-9		1 - 5%

SECTION - 4 FIRST AID MEASURES

EYE CONTACT	Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists obtain immediate medical attention, preferably from an ophthalmologist
SKIN CONTACT	Wash contaminated skin with plenty of soap and water, Remove any contaminated clothing and wash before reuse, If irritation is present or occurs obtain medical attention
INHALATION	Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical attention
INGESTION	DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs

Aspiration Hazard Not considered to be an aspiration hazard

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes	Causes serious eye irritation, redness, tearing, pain, or possible corneal injury
Skin	Can cause skin irritation, redness, drying or cracking
Inhalation	Spray mist may cause mild irritation, to respiratory tract
Ingestion	May be harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes	Causes serious eye irritation, redness, tearing, pain, burns, or possible eye damage
Skin	Causes skin irritation, redness, burning, drying or cracking
Inhalation	Spray mist may cause irritation, to nose, throat, mucus membranes or respiratory tract
Ingestion	May be harmful if swallowed, Causes irritation, burning in the mouth, throat, and esophagus, Slight acute toxicity if swallowed

SECTION - 5 FIRE FIGHTING MEASURES

Extinguishing Media	Not flammable: Use extinguishing media for surrounding fire
Hazardous Decomposition	Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes
Reactive With	Incompatible with, strong oxidizing agents, strong acids
Explosion Hazards	Not applicable
Static Discharge	Not applicable
Mechanical Impact	Not applicable
Protective Equipment	Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Warn personnel of spill
Personal Precautions	Ventilate area, Avoid slipping on spilled product
Protective Equipment	Safety Glasses, Chemical Gloves and Rubber Boots
Containment	Use absorbent socks or pads to prevent spill from spreading
Clean Up Procedures	Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water Large Spills: Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container Vacuum or sweep up material and place in a disposal container
Disposal	Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling	Keep away from incompatible materials, Use appropriate safety equipment, Avoid eye and skin contact, Avoid inhalation of mist, May cause respiratory irritation, Harmful if swallowed, Wash thoroughly after handling, Avoid release to the environment
Storage	KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents, strong acids

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE LIMITS**

CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	Significant Exposure
2-(2-Butoxyethoxy)ethanol	10 ppm				
Nonylphenol Ethoxylate	None Established				ED
Sodium Metasilicate Pentahydrate	None Established				

PERSONAL PROTECTIVE EQUIPMENTChemical Safety Glasses,
Goggles or Face ShieldImpervious
Chemical GlovesEye Wash and
Safety Shower
(Recommended)**Ventilation**

General Ventilation

Ventilate to keep vapors of this material below the lowest ppm listed above.
If over Threshold Limit Value use a MSHA / NIOSH approved respirator

HMIS HAZARD RATINGS

Health	2
Flammability	0
Reactivity	0
Personal Protection	B

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	>212°F (100°C) TAG Closed Cup	Specific Gravity / Density	1.08
Flammable Limits	ND	pH (± 0.3)	13.0
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	ND
Appearance	Clear Blue	Boiling Point	ND
Odor	Peppermint	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	ND	Partition Coefficient	ND
VOC	0.5% at 5% dilution / 5 gm/L VOC in 5% dilution	Molecular Weight (g/mol)	~82.44
LVP-VOC	ND	Decomposition Temperature	ND

SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data)	None available
Chemical Stability	Stable when stored below 49°C (120°F)
Hazardous Polymerization	Will not occur
Conditions To Avoid	Incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents, strong acids
Thermal Decomposition	Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, sodium oxides, silicon oxides, and other toxic fumes

SECTION – 11 TOXICOLOGICAL INFORMATION**ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Inhalation (Yes "Mist"), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, pain, or possible corneal injury

Skin Can cause skin irritation, redness, drying or cracking

Inhalation Spray mist may cause mild irritation, to respiratory tract

Ingestion May be harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, pain, burns, or possible eye damage

Skin Causes skin irritation, redness, burning, drying or cracking

Inhalation Spray mist may cause irritation, to nose, throat, mucus membranes or respiratory tract

Ingestion May be harmful if swallowed, Causes irritation, burning in the mouth, throat, and esophagus, Slight acute toxicity if swallowed

Acute Tox Calculated Oral: 9,977 mg/kg Dermal: 15,710 mg/kg Inhaled: 57.5 mg/L

Acute Tox Category Not applicable (Oral >2,000 mg/kg), Not applicable (Dermal >2,000 mg/kg), Not applicable (Inhaled > 20 mg/L) Vapors

Additional Info

Target Organs Kidneys, Liver

Medical Conditions Preexisting, liver, kidney, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC – This product contains concentrations above 0.1% of the following:

CHEMICAL NAME	NTP	ACGIH	IARC	GHS Category
None Listed	NA	NA	NA	NA

MUTAGENIC AND REPRODUCTIVE EFFECTS – This product contains concentrations above 0.1% of the following:

CHEMICAL NAME	Germ Cell Mutagenicity	Toxic to Reproduction
None Listed	NA	NA

COMPONENTS ACUTE TOXICITY

CHEMICAL NAME	Type	Form	Subject	Result Value	Exposure Time	GHS Category
Nonylphenol Ethoxylate	LD50	Oral	Rat	960 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Inhaled	Rat	1.15 mg/L	4 Hours (Mist)	4 (>1.0, ≤5 mg/L)
	LD50	Dermal	Rabbit	2,991 mg/kg		(>2000 mg/kg)
Sodium Metasilicate Pentahydrate	LD50	Oral	Rat	847 mg/kg		4 (>300, ≤2000 mg/kg)
	LD50	Rat	Dermal	> 5000 mg/kg		(>2000 mg/kg)
Glycol Ether DB	LD50	Oral	Rat	7,291 mg/kg		(>2000 mg/kg)
	LD50	Dermal	Rabbit	2,764 mg/kg		(>2000 mg/kg)

SECTION – 12 ECOLOGICAL INFORMATION

CHEMICAL NAME	Type	Subject	Subject Latin	Result Value	Exposure Time	GHS Category
Nonylphenol Ethoxylate	LC50	Bluegill	(Lepomis macrochirus)	1.0 mg/L	96 Hours	2 (>1, ≤10 mg/L)
	EC50	Water Flea	(Daphnia magna)	12.2 mg/L	48 Hours	3 (>10, ≤100 mg/L)
Sodium Metasilicate Pentahydrate	LC50	Zebrafish	(Brachydanio rerio)	210 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea	(Daphnia magna)	1700 mg/L	48 Hours	4 (>100 mg/L)
2-(2-Butoxyethoxy)ethanol	LC50	Fish	(Leuciscus Idus)	1,300 mg/L	96 Hours	4 (>100 mg/L)
	EC50	Water Flea	(Daphnia magna)	>100 mg/L	48 Hours	4 (>100 mg/L)
Presistence And Degradability	This product is inherently biodegradable according to the OECD definition					
Bioaccumulative Potential	No data available					
Mobility In Soil	This product is water soluble and will move readily in soil and water					
Other Adverse Effects	Harmful to aquatic life					

SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate.

SECTION – 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

<u>UN Number</u>	<u>Proper Shipping Name</u> <u>n.o.s. (Chemicals) or "Limits"</u>				
Not Regulated	Non Hazardous – Compounds Cleaning Liquid				
<u>Hazard Class</u>	<u>Packing Group</u>	<u>Label Codes</u>	<u>Reportable Quantity (lbs)</u>	<u>Response Code</u>	<u>Marine Pollutant</u>
None	None	None	None	154	No
Not Restricted as per IATA	Not Restricted as per IATA	Not Restricted as per IATA	Not Restricted as per IATA	Not Restricted as per IATA	Not Restricted as per IATA

SECTION – 15 REGULATORY INFORMATION

<u>TSCA</u>	<u>Sec 8(b) Inventory</u>	<u>Sec 8(d) Health And Safety</u>	<u>Sec 4(a) Chemical Test Rules</u>	<u>Sec 12(b) Export Notification</u>
Glycol Ethers	Yes			
Sodium Metasilicate Pentahydrate	Yes			

<u>REPORTABLE QUANTITIES</u>		Extremely Hazardous	Reportable Quantity	Emission Reporting		
CHEMICAL NAME	EPCRA TPQ Sec 302	EPCRA RQ Sec 304	CERCLA RQ Sec 103	TRI Sec 313	RCRA Code	RMP TQ Sec 112r
Glycol Ethers				Yes		

<u>SARA</u>	<u>Section 311</u>	<u>Section 311 / 312 Hazards</u>				
<u>CHEMICAL NAME</u>	<u>Hazardous Chemical</u>	<u>Acute</u>	<u>Chronic</u>	<u>Flammable</u>	<u>Pressure</u>	<u>Reactive</u>
2-(2-Butoxyethoxy)ethanol	Yes	Yes	Yes			
Nonylphenol Ethoxylate	Yes	Yes				
Sodium Metasilicate Pentahydrate	Yes	Yes				

<u>RIGHT TO KNOW</u>	<u>STATE</u>												
<u>CHEMICAL NAME</u>	<u>CA</u>	<u>CT</u>	<u>FL</u>	<u>IL</u>	<u>LA</u>	<u>NJ</u>	<u>NY</u>	<u>PA</u>	<u>MI</u>	<u>MN</u>	<u>MA</u>	<u>RI</u>	<u>WI</u>
2-(2-Butoxyethoxy)ethanol							Yes	Yes					
Nonylphenol Ethoxylate						Yes		Yes					
Sodium Metasilicate Pentahydrate						Yes		Yes					

<u>CALIFORNIA</u>	<u>WARNING! This product contains chemicals known to the state of California to cause:</u>				
<u>CHEMICAL NAME</u>	<u>CAS #</u>	<u>Birth Defects</u>	<u>Reproductive Harm</u>	<u>Carcinogen</u>	<u>Developmental</u>
None Listed					

<u>CLEAN AIR WATER ACTS</u>		Clean Air Acts			Clean Water Acts		
CHEMICAL NAME	CAS #	HAP	Ozone Class 1	Ozone Class 2	HS	PP	TP
None Listed							

INTERNATIONAL REGULATIONS – The components of this product are listed on the chemical inventories of the following countries:

<u>CHEMICAL NAME</u>	<u>Australia</u>	<u>Canada</u>	<u>Europe (EINECS)</u>	<u>Japan</u>	<u>Korea</u>	<u>UK</u>
Glycol Ethers	Yes	Yes	Yes	Yes	Yes	Yes

WHMIS Classification

<u>CHEMICAL NAME</u>	<u>DSL</u>	<u>Class</u>	<u>Description</u>
2-(2-Butoxyethoxy)ethanol	Yes	D-2B	Materials Causing Other Toxic Effects; Toxic Material
Sodium Metasilicate Pentahydrate	Yes	E	Corrosive Material

SECTION – 16 OTHER INFORMATION

Code	Hazard and Precautionary Statements
H303	May be harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P262	Do not get in eyes, on skin, or on clothing.
P264	Wash ... thoroughly after handling.
P273	Avoid release to the environment.
P281	Use personal protective equipment as required.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314	Get medical advice/attention if you feel unwell.
P362	Take off contaminated clothing and wash before reuse.
P376	Stop leak if safe to do so.
P370+P378	In case of fire: Use dry chemicals, CO ₂ , alcohol foam for extinction. Water spray to cool or protect exposed materials
P402+P404	Store in a dry place. Store in a closed container.
P501	Dispose of contents/ container to an approved waste disposal plant.

SDS LEGEND DESCRIPTION

ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

Modern Chemical, Inc.

and Abernathy Company have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Supersedes Safety Data Sheet Dated 01/10/2020

