

Page 1 of 6

BC-003 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 2.2 SDS Revision Date: 11/29/2018 1. PRODUCT & COMPANY IDENTIFICATION 1 1 Product Name PERMA BLUE® LIQUID GUN BLUE 1.2 Chemical Name Acid Mixture 1.3 Synonyms 13125, 13132 Perma Blue® Liquid Gun Blue Trade Names: 1.4 Product Use: 1.5 Metal Finishing Distributor's Name: 1.6 Birchwood Casey, LLC Distributor's Address: 3260 Winpark Drive, New Hope, MN., 55427 USA 1.7 1.8 Emergency Phone: ChemTrec +1 (800) 424-9300 / +1 (703) 527-3887 or Poison Control Center +1 (866) 291-7152 1.9 Business Phone / Fax: +1 (952) 388-6717 2. HAZARDS IDENTIFICATION 2.1 Hazard Identification: This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia). DANGER! TOXIC IF SWALLOWED OR INHALED. CAUSES SEVERE SKIN BURNS OR EYE DAMAGE. VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. Classification: Acute Tox.-Oral 3; Acute Tox.-Inh. 3; Skin Corr. 1A; Aquatic Chronic 1 22 Label Flements: Hazard Statements (H): H301+H331 - Toxic if swallowed or inhaled. H314 - Causes severe skin burns and eye damage. H410 - Very toxic to aquatic life with long lasting effects. Precautionary Statements (P): P260 - Do not breathe dust or mist. P261 - Avoid breathing fume/vapors. P264 - Wash with soap and water thoroughly after handling. P270 - Do not eat, drink, or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P311 - Call a Poison Center +1-866-291-7152/doctor. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatments see this container label and section 4 First Aid of this SDS. P330 - Rinse mouth, P363 - Wash contaminated clothing before reuse. P391 - Collect spillage. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). Other Warnings: 2.3 In the event of an exposure or medical inquiry involving this product, please contact a physician or local poison control center, who may seek advice from the U.S. manufacturer, and show them this SDS. KEEP OUT OF REACH OF CHILDREN. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA maa ppm ppm ES-ES-CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. TLV STEL TWA PEAK PEL STEL IDLH OTHER STEL ZC0110000 231-791-2 7732-18-5 60-100 NE NE NF NF NF NE NE NE WATER 7758-99-8 NA NA NF NA 5-10 (1) NF NF (1) NA 1000 **CUPRIC SULFATE** Acute Toxicity 4; H302 231-974-7 7783-00-8 VS7175000 1-5 (0.2) NA (0.2) NF NF (0.2) NA NA SELENIOUS ACID Acute Tox. 3; Acute Tox. 3; Aquatic Acute 1; Aquatic Chronic; H301, H331, H400, H410 7697-37-2 QU5775000 231-714-2 1-3 2 4 2 NF NA 25 NITRIC ACID Ox. Liq. 3; Skin Corr. 1A; H272, H314 4. FIRST AID MEASURES 4.1 First Aid: Ingestion: DO NOT INDUCE VOMITING. Contact Poison Control Center +1 (866) 291-7152 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, Eyes: holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately. Remove contaminated clothing and wash affected areas with soap and water. If discomfort persists and/or Skin: the skin reaction worsens, contact a physician immediately. Do not wear contaminated clothing until after it has been properly cleaned. Inhalation: Remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial

respiration. Seek immediate medical attention.



7.3

Special Precautions:

SAFETY DATA SHEET

Page 2 of 6

BC-003

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 2.2 SDS Revision Date: 11/29/2018 4. FIRST AID MEASURES - cont'd 4.2 Effects of Exposure: Severe or permanent eye damage. Eyes: Skin: Burns upon direct contact. Severe burns of mouth, throat, stomach. Ingestion: Inhalation: Severe irritation or burns in respiratory tract and mucous membranes. Possible lung damage Symptoms of Overexposure: 4.3 Redness, burning, irritation, and swelling around eyes Eyes: Redness, burning, itching, rash, blistering of skin. Skin: Ingestion: Nausea, vomiting, severe abdominal pain. Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing. Inhalation: 4.4 Acute Health Effects: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin. Chronic Health Effects: 4.5 May damage the nervous system, kidney and/or liver. 4.6 Target Organs: Eyes, Skin, Nervous System, Kidneys, Liver, Respiratory System Medical Conditions 4.7 Pre-existing dermatitis, other skin conditions, and disorders of the target **HEALTH** 3 Aggravated by Exposure: organs (eyes, skin, and respiratory system) or impaired kidney function **FLAMMABILITY** 0 may be more susceptible to the effects of this substance. PHYSICAL HAZARDS 2 PROTECTIVE EQUIPMENT Н **EYES** LUNGS SKIN Notes to Physician: This product contains Selenious Acid and is potentially fatal if ingested even in small amounts. 24-hour admission should be considered in asymptomatic or minimally symptomatic patients as delayed toxic effects including pulmonary edema and multi-organ failure may occur. 24/7 medical toxicology consultation is available at +1 (855) 281-1742. 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: Non-flammable. May react with metals to release hydrogen gas, which can form explosive mixtures with air. May intensity fire; oxidizer. 5.2 Extinguishing Methods: Use fire-extinguishing media appropriate for surrounding materials. 5.3 Firefighting Procedures: As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, phosphorous, selenium and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g., apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible, inert material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. Use absorbent to pick up residue. Avoid discharging liquid directly into a sewer or surface waters. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Immediately clean-up and decontaminate any spills or residues. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Store in acid-resistant containers. Keep containers covered when not in use. Avoid temperatures above 40 °C (120°F). Keep away from incompatible substances (See Section 10). Protect containers from physical damage.

Empty containers may retain hazardous product residues.



Page 3 of 6

BC-003

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 2.2 SDS Revision Date: 11/29/2018 8. EXPOSURE CONTROLS & PERSONAL PROTECTION OSHA OTHER Exposure Limits: 8 1 ppm (mg/m³) CHEMICAL NAME(S) TLV STEL **ES-TWA** STEL PEAK PEL STEL **IDLH** SELENIOUS ACID (0.2)NA (0.2)NF NF (0.2)NA NA NITRIC ACID NF 25 2 4 2 4 NA **CUPRIC PHOSPHATE** NA NF NF NF NA NA 1 8.2 Ventilation & Engineering Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash 8.3 Respiratory Protection: In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia 8.4 Eye Protection: Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended. 8.5 Hand Protection: Wear protective, chemical-resistant gloves (e.g., neoprene) when using or handling this product. 8.6 Body Protection: A chemical resistant apron and/or protective clothing are recommended when handling or using this product 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Blue liquid 92 Odor: Odorless 9.3 Odor Threshold: 0.29 to 0.98 ppm (Nitric Acid) 9.4 pH: 1.0 Melting Point/Freezing Point: 9.5 NA Initial Boiling Point/Boiling 9.6 > 100 °C (> 212 °F) Range: 9.7 Flashpoint NA 9.8 Upper/Lower Flammability NA Limits: 9.9 Vapor Pressure: NΑ $< \overline{1.0 \text{ (Air} = 1.0)}$ 9.10 Vapor Density 9.11 Relative Density: 1.034 9.12 Solubility: Soluble 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature: NA Decomposition Temperature: 9.15 NA 9.16 Viscosity: NA 9.17 Other Information: Evaporation Rate: < 1.0 (ethyl ether = 1.0) 10. STABILITY & REACTIVITY 10.1 Stability: Stable at normal temperatures. 10.2 Hazardous Decomposition Reaction with organics and strong reducing agents can produce organoselenides and hydrogen selenide. Thermal Products: decomposition may produce selenium, nitrogen, phosphoric and copper oxides Hazardous Polymerization: 10.3 Will not occur. Conditions to Avoid: 10.4 Excessive heat, shock, friction. 10.5 Incompatible Substances: Cyanides, water-reactive substances, strong reducing agents, chlorinated cleaners or sanitizers, combustible organic materials, most metals 11. TOXICOLOGICAL INFORMATION Routes of Entry: Inhalation: YES Absorption: YES Ingestion: 11.1 YES Cupric Sulfate: LD₅₀ (oral, rat) = 300 mg/kg Toxicity Data 11.3 Acute Toxicity See Section 4.4 11.4 Chronic Toxicity See Section 4.5 Suspected Carcinogen: 11.5 Components in this product are listed by IARC as Group 3 (Not classifiable as to its carcinogenicity to humans) 11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. Mutagenicity Embryotoxicity This product is not reported to produce embryotoxic effects in humans This product is not reported to cause teratogenic effects in humans. Teratogenicity Reproductive Toxicity: This product is not reported to cause reproductive effects in humans.



Page 4 of 6 **BC-003**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 2.2 SDS Revision Date: 11/29/2018

44 -	Instead of Decident	11. TOXICOLOGICAL INFORMATION – cont'd		
11.7	Irritancy of Product:	See Section 4.2		
11.8	Biological Exposure Indices:	NE The state of th		
11.9	Physician Recommendations:	Treat symptomatically.		
		12. ECOLOGICAL INFORMATION		
12.1	Environmental Stability:	There are no specific data available for this product.		
12.2	Effects on Plants & Animals:	There are no specific data available for this product.		
12.3	Effects on Aquatic Life:	Very toxic to aquatic life with long lasting effects. Phosphoric Acid: EC₅₀ (Daphnia magna, 12h) = 4.6 mg/L		
		13. DISPOSAL CONSIDERATIONS		
13.1	Waste Disposal:			
13.2	Special Considerations:	U.S. EPA Hazardous Waste - Characteristic - Corrosive (D002), Characteristic - Toxic (D010)		
		14. TRANSPORTATION INFORMATION		
The h	pasic description (ID Number	proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive	informatio	
	be required by 49 CFR, IATA/	ICAO, IMDG and the CTDGR.		
14.1	49 CFR (GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II (IP VOL ≤ 1.0 L LTD QTY), or CONSUMER COMMODITY, ORM-D (UNTIL 12/31/20)		
14.2	IATA (AIR)*:	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8,II, (IP VOL ≤ 0.1 L LTD QTY)	\	
4.3	IMDG (OCN):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II (IP VOL ≤ 1.0 L LTD QTY)	/	
14.4	TDGR (Canadian GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II (IP VOL ≤ 1.0 L LTD QTY)		
14.5	ADR/RID (EU):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II (IP VOL ≤ 1.0 L LTD QTY)		
14.6	SCT (MEXICO):	UN3264, LIQUIDOS, CORROSIVOS, ACIDO, INORGANICO, N.E.P. (ACIDO SELENIO, ACIDO NITRICO), 8, II (IP VOL ≤ 1.0 L CANTIDAD LIMITADA ()		
14.7	ADGR (AUS):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, II (IP VOL ≤ 1.0 L , LTD QTY)		
		45 DECLII ATODVINEODMATION		
		15. REGULATORY INFORMATION		
15.1	SARA Reporting Requirements:	This product contains <u>Nitric Acid</u> , <u>Cupric Sulfate</u> and <u>Selenious Acid</u> , substances subject to SARA Title III, So reporting requirements.	ection 3 ⁴	
15.2	SARA TPQ:	302 TPQ (Nitric Acid): 1,000 lbs (454 kg)		
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.		
15.4	CERCLA Reportable Quantity:	Selenious Acid: 10 lbs (4.54 kg); Nitric Acid: 1,000 lbs (454 kg); Cupric Sulfate: 10 lbs (4.54 kg)		
15.5	Other Federal Requirements:	NA NA		
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class E (Corrosive Material). WHMIS Class D1 (Materials Causing Immediate and Serious Toxic Effects).	(2)	
15.7	State Regulatory Information:	Selenious Acid is found on the following state criteria lists: Florida Toxic Substances List (FL), Mass Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know and Wisconsin Hazardous Substances List (WI). Nitric Acid is found on the following state criteria lists: FL, MA, MN, New Jersey Right-to-Know List (NJ) Washington Permissible Exposures List (WA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Flor Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances	List (PA), and following the f	
		List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin F Substances List (WI).	Hazardo	
15.8	Other Requirements:	This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov		



Page 5 of 6

BC-003

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.2

SDS Revision Date: 11/29/2018

		16. OTHER INF	ORMATION		
16.1	Other Information:	TOXIC TO AQUATIC LIFE WITH LONG LAS water thoroughly after handling. Do not eat, d ventilated area. Avoid release to the environ protection. IF SWALLOWED: Immediately call to fresh air and keep comfortable for breathin cautiously with water for several minutes. Rem	·		
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.			
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Birchwood Casey, LLC knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.			
16.4	Prepared for:	Birchwood Casey, LLC 3260 Winpark Drive New Hope, MN 55427 USA Tel: +1 (952) 388-6717 Email: customerservice@birchwoodcasey.com http://www.birchwoodCasey.com	BIRCHWOOD CASEY		
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate* Dangerous Goods Training & Consulting		



Page 6 of 6 **BC-003**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 2.2 SDS Revision Date: 11/29/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
IDLH	Immediately Dangerous to Life and Health	
NOHSC	National Occupational Health and Safety Commission (Australia)	
OSHA	U.S. Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
STEL	Short Term Exposure Limit	
TLV	Threshold Limit Value	
TWA	Time Weighted Average	

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D		THE STATE OF THE S	
Е			
F		H,	





OTHER STANDARD ABBREVIATIONS:

Carcinogenic
Irritant
Not Available
No Results
Not Determined
Not Established
Not Found
Self-Contained Breathing Apparatus
Sensitization
Specific Target Organ Toxicity - Repeat Exposure
Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:		
Autoignition	gnition Minimum temperature required to initiate combustion in air with no other source	
Temperature	of ignition	
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will	
	explode or ignite in the presence of an ignition source	
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will	
	explode or ignite in the presence of an ignition source	

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\ \ \ \ \
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	\sim 2
ALK	Alkaline	
COR	Corrosive	/ X W Y
₩	Use No Water	HEALTH
OX	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
TC	Transport Canada	
EPA	U.S. Environmental Protection Agency	
DSL	Canadian Domestic Substance List	
NDSL	Canadian Non-Domestic Substance List	
PSL	Canadian Priority Substances List	
TSCA	U.S. Toxic Substance Control Act	
EU	European Union (European Union Directive 67/548/EEC)	
WGK	Wassergefährdungsklassen (German Water Hazard Class)	

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	®			Θ	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

	®		\Diamond	N. C.		\Diamond		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment