Safety Data Sheet



Revision Number: 001.1

Issue date: 01/08/2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: Product type: Restriction of Use: Company address: Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067


ARMSTRONG ACTIVATOR E QUART Epoxy Hardener None identified

IDH number: 2011258 Item number: 2011258 Region: **United States** Contact information: Telephone: (860) 571-5100 MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887 Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

	EMERGENCY OVERVIEW
DANGER:	HARMFUL IF SWALLOWED.
	TOXIC IN CONTACT WITH SKIN.
	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
	MAY CAUSE AN ALLERGIC SKIN REACTION.

HAZARD CLASS	HAZARD CATEGORY
ACUTE TOXICITY ORAL	4
ACUTE TOXICITY DERMAL	3
SKIN CORROSION	1C
SERIOUS EYE DAMAGE	1
SKIN SENSITIZATION	1



Precautionary Statements

Prevention:	Do not breathe vapors, mist, or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, eye protection, and face protection.
Response:	If SWALLOWED: Immediately call poison control or physician if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. Immediately call a poison control center or
Storage:	physician. If skin irritation or rash occurs: Get medical attention. Wash contaminated clothing before reuse. Store locked up.
Disposal:	Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*
Amine	Proprietary	60 - 100

* Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES				
Inhalation:	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.			
Skin contact:	Remove contaminated clothing and footwear. Immediately flush skin with plenty of water (using soap, if available). Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.			
Eye contact:	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.			
Ingestion:	DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention.			
Symptoms:	See Section 11.			
5. F	IRE FIGHTING MEASURES			
Extinguishing media:	Water spray (fog), foam, dry chemical or carbon dioxide.			
Special firefighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.			
Unusual fire or explosion hazards:	In case of fire, keep containers cool with water spray.			
Hazardous combustion products:	Oxides of carbon. Oxides of nitrogen. Ammonia. Cyanides. Toxic fumes. Irritating vapors.			

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:	Do not allow product to enter sewer or waterways.
Clean-up methods:	Ensure adequate ventilation. Wear appropriate personal protective equipment. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up spilled material and place in a closed container for disposal.

7. HANDLING AND STORAGE

Handling:

Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Use only with adequate ventilation. Keep container closed.

Storage:

Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials. Keep away from heat, spark and flame. Store in original container until ready to use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

lazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Amine	None	None	None	None
Engineering controls:		xhaust ventilation is rec nt to control airborne co	commended when genera ntamination.	I ventilation is not
Respiratory protection:	Use a NIOSH approved respirator if ventilation is inadequate.			
Eye/face protection:	Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists. Safety showers and eye wash stations should be available.			
Skin protection:		emical resistant, impern or body suit to prevent s	neable clothing including kin contact.	gloves and either an
9	. PHYSICAL AND C	HEMICAL PROP	PERTIES	
Physical state: Color:	Liquid Colorle	SS		

Color:
Odor:
Odor threshold:
pH:
Vapor pressure:
Boiling point/range:
Melting point/ range:
Specific gravity:
Vapor density:
Flash point:
Flammable/Explosive limits - lower:
Flammable/Explosive limits - upper:
Autoignition temperature:
Evaporation rate:
Solubility in water:
Partition coefficient (n-octanol/water):
VOC content:
Viscosity:
Decomposition temperature:

Liquid
Colorless
Amine
Not available.
Not available.
Not determined
170 °C (338°F) Approximately
Not available.
0.826
Not available.
52.78 °C (127°F) ASTM D3278 Setaflash Closed Cup
Not available.
Not available.
Not available.
Not available.
Dispersible
Not available.
Not available.
Not available.
Not available.

10. STABILITY AND REACTIVITY

Stability:	Stable under normal conditions of storage and use.	
Hazardous reactions:	None under normal processing.	
Hazardous decomposition Oxides of carbon. Oxides of nitrogen. Ammonia. Toxic fumes. Irritating vapors. products: Oxides of carbon. Oxides of nitrogen. Ammonia. Toxic fumes. Irritating vapors.		
Incompatible materials:	Oxidizing agents. Peroxides. Nitrates. Nitrous acid and other nitrosating agents. Nitrites. Strong acids. Halogens. Oxygen. Strong alkalis.	
Reactivity: Not available.		
Conditions to avoid:	Keep away from heat, ignition sources and incompatible materials. Avoid moisture.	
	11. TOXICOLOGICAL INFORMATION	
Relevant routes of exposure:	Skin, Inhalation, Eyes, Ingestion	
Potential Health Effects/Sympton	ns	
Inhalation: Skin contact: Eye contact: Ingestion:	Mists, vapors or liquid may cause severe irritation or burns. Toxic in contact with skin. Causes skin burns. May cause allergic skin reaction. Causes serious eye damage. Harmful if swallowed. Irritation and corrosive action can occur in the mouth, stomach tissue and digestive tract if swallowed.	

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects	
Amine	None	No Target Organs	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Amine	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information:

Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:	Follow all local, state, federal and provincial regulations for disposal.

Hazardous waste number:

It is the responsibility of the user to determine if an item is hazardous as defined in the Resource Conservation and Recovery Act (RCRA) at the time of disposal. Product uses, transformations, mixtures, processes, etc., may render the resulting material hazardous, under the criteria of ignitability, corrosivity, reactivity and toxicity characteristics of the Toxicity Characteristics Leaching Procedure (TCLP) 40 CFR 261.20-24.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. I	Department	of Trans	portation	Ground	(49 CFR)
0.0.1	Department	or mano	portation	or ound i	

Proper shipping name:	3-Diethyamino-propylamine
Hazard class or division:	3 (8)
Identification number:	UN 2684
Packing group:	III

International Air Transportation (ICAO/IATA) Proper shipping name: Hazard class or division: Identification number: Packing group:	3-Diethylaminopropylamine 3 (8) UN 2684 III
Water Transportation (IMO/IMDG) Proper shipping name: Hazard class or division: Identification number: Packing group:	3-DIETHYLAMINOPROPYLAMINE 3 (8) UN 2684 III

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status:	All components are listed or are exempt from listing on the Toxic Substances Control Act	
TSCA 12 (b) Export Notification:	Inventory. None above reporting de minimis	
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313:	None above reporting de minimis Immediate Health None above reporting de minimis	
California Proposition 65:	No California Proposition 65 listed chemicals are known to be present.	
Canada Regulatory Information		
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Canadian Domestic	

All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

16. OTHER INFORMATION

Prepared by: Rebecca Pasco, Regulatory Affairs Specialist

Issue date: 01/08/2015

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.