Printing date 08/07/2015 Reviewed on 08/07/2015

### 1 Identification

· Product identifier

· Trade name: AL 2108 Clear Hardener

· Article number: R007067-1

· Application of the substance / the mixture Laminating epoxy hardener

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Company Name: Axson USA, Inc.

Headquarters:

31200 Stephenson Hwy Madison Heights, MI 48071 USA

ehs-us@axson.com

· Information department: Product safety department

· Emergency telephone number:

*During normal opening times:* +1(248) 588-2270 *Chemtec 24-hour Emergency:* +1 (800) 424-9300

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



### GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

3,6-diazaoctanethylenediamin

· Hazard statements

Harmful if swallowed or in contact with skin.

(Contd. on page 2)

Printing date 08/07/2015 Reviewed on 08/07/2015

#### Trade name: AL 2108 Clear Hardener

(Contd. of page 1)

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

#### · Precautionary statements

*If medical advice is needed, have product container or label at hand.* 

Keep out of reach of children.

Read label before use.

Do not breathe dusts or mists.

Wear protective gloves.

Wear protective gloves / protective clothing.

Wear eye protection / face protection.

Avoid release to the environment.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Call a poison center/doctor if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3

Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 4Fire = 1

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 08/07/2015 Reviewed on 08/07/2015

Trade name: AL 2108 Clear Hardener

(Contd. of page 2)

#### · Dangerous components:

CAS: 112-24-3 3,6-diazaoctanethylenediamin 25-50% EINECS: 203-950-6

### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

*Use neutralizing agent.* 

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 08/07/2015 Reviewed on 08/07/2015

Trade name: AL 2108 Clear Hardener

(Contd. of page 3)

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 112-24-3 3,6-diazaoctanethylenediamin

WEEL Long-term value: 6 mg/m³, 1 ppm Skin

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 08/07/2015 Reviewed on 08/07/2015

Trade name: AL 2108 Clear Hardener

(Contd. of page 4)

 $\cdot \textit{Penetration time of glove material}$ 

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

| Information on basic physical and    | chemical properties                           |
|--------------------------------------|---|
| General Information                  |   |
| Appearance: Form:                    | Liquid  |
| Color:                               | Elquia<br>Clear                               |
| Odor:                                | Characteristic                                |
| Odour threshold:                     | Not determined.                               |
| pH-value:                            | Not determined.                               |
| Change in condition                  |   |
| Melting point/Melting range:         | Undetermined.                                 |
| Boiling point/Boiling range:         | 278 °C (532 °F)                               |
| Flash point:                         | 135 °C (275 °F)                               |
| Flammability (solid, gaseous):       | Not applicable.                               |
| Ignition temperature:                | 335 °C (635 °F)                               |
| Decomposition temperature:           | Not determined.                               |
| Auto igniting:                       | Product is not selfigniting.                  |
| Danger of explosion:                 | Product does not present an explosion hazard. |
| Explosion limits:                    |   |
| Lower:                               | Not determined.                               |
| Upper:                               | Not determined.                               |
| Vapor pressure:                      | Not determined.                               |
| Density at 20 °C (68 °F):            | 0.9 g/cm³ (7.511 lbs/gal)                     |
| Relative density                     | Not determined.                               |
| Vapour density                       | Not determined.                               |
| Evaporation rate                     | Not determined.                               |
| Solubility in / Miscibility with     |   |
| Water:                               | Not miscible or difficult to mix.             |
| Partition coefficient (n-octanol/wat | t <b>er</b> ): Not determined.                |
| Viscosity:                           |   |
| Dynamic:                             | Not determined.                               |
| Kinematic:                           | Not determined.                               |

Printing date 08/07/2015 Reviewed on 08/07/2015

Trade name: AL 2108 Clear Hardener

(Contd. of page 5)

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

#### 112-24-3 3,6-diazaoctanethylenediamin

 Oral
 LD50
 2500 mg/kg (rat)

 Dermal
 LD50
 805 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 7)

Printing date 08/07/2015 Reviewed on 08/07/2015

Trade name: AL 2108 Clear Hardener

(Contd. of page 6)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

| · UN-Number  |        |
|--------------|--------|
| $\cdot DOT$  | NA2735 |
| · IMDG, IATA | UN2735 |

· UN proper shipping name

• DOT Polyamines, liquid, corrosive, n.o.s. (Triethylenetetramine)
• IMDG, IATA POLYAMINES, LIQUID, CORROSIVE, N.O.S.

(TRIETHYLENETETRAMINE)

- · Transport hazard class(es)
- $\cdot DOT$



ClassLabel8 Corrosive substances8

· IMDG, IATA



· Class 8 Corrosive substances

(Contd. on page 8)

Printing date 08/07/2015 Reviewed on 08/07/2015

Trade name: AL 2108 Clear Hardener

|  | (Contd. of page  |
|--|--|
| · Label                                | 8  |
| · Packing group                        |  |
| · DOT, IMDG, IATA                      | II   |
| · Environmental hazards:               |  |
| · Marine pollutant:                    | No   |
| · Special precautions for user         | Warning: Corrosive substances  |
| · EMS Number:                          | F- $A$ , $S$ - $B$   |
| · Segregation groups                   | Alkalis  |
| · Transport in bulk according to Annex | II of  |
| MARPOL73/78 and the IBC Code           | Not applicable.  |
| · UN ''Model Regulation'':             | UN 2735, Polyamines, liquid, corrosive, n.o.s<br>(Triethylenetetramine), 8, II |

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

(Contd. of page 8)

## Safety Data Sheet acc. to OSHA HCS

Printing date 08/07/2015 Reviewed on 08/07/2015

Trade name: AL 2108 Clear Hardener

#### · Hazard pictograms





#### · Signal word Danger

#### · Hazard-determining components of labeling:

*3,6-diazaoctanethylenediamin* 

#### · Hazard statements

Harmful if swallowed or in contact with skin.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Harmful to aquatic life with long lasting effects.

#### · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not breathe dusts or mists.

Wear protective gloves.

Wear protective gloves / protective clothing.

Wear eye protection / face protection.

Avoid release to the environment.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Call a poison center/doctor if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 08/07/2015 / 2

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 10)

Printing date 08/07/2015 Reviewed on 08/07/2015

#### Trade name: AL 2108 Clear Hardener

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

(Contd. of page 9)

TICA